

BLASTSAFE™ HERO GLOVES FOR ABRASIVE BLASTING

MADE FOR BLASTHEROES



PPE category II
Sizes 7 - 12

Blastsafe™ HERO
Abrasive blasting



EN 388:2016+A1:2018
EN ISO 21420:2020+A1:2024

EN ISO 14877:2002

EN ISO 14877 EN 388



4244C

User Manual

INTRODUCTION

This user manual relates to Blastsafe™ HERO a glove for abrasive blasting. These gloves are classified as personal protective equipment category II. The CE mark confirms that the product satisfies the applicable requirements of Regulation (EU) 2016/425 and fulfils all requirements as specified in EN ISO14877:2002 "Protective clothing for abrasive blasting operations using granular abrasives."

EN ISO14877:2002

EN ISO14877



EN 388



4244C

EN 388:2016+A1:2018

| | |
|--------------------|---|
| Abrasion | 4 |
| Cut (Coupe Test) | 2 |
| Tear | 4 |
| Puncture | 4 |
| Cut (TDM-100 Test) | C |
| Impact protection | - |

The overall classification for gloves with two or more layers does not necessarily reflect the performance of the outermost layer.

The tests were carried out without taking the reinforcement patches into account.

Therefore, the areas covered by reinforcement patches may have a higher protection level.

All fabrics and materials are selected to be safe for the user. The gloves allow for great finger dexterity - performance level 3 (acc. to EN ISO 21420:2020+A1). In addition, the glove material has been subjected to the flammability test according to EN 14594:2018 (test method 3 acc. to EN 13274-4:2020) and has shown a high resistance to ignition.

Warning

The glove contains natural rubber which may cause allergic reactions.



PURPOSE AND APPLICATIONS

Blastsafe™ HERO is designed for use in environments where the Operator need protecting from ricocheting blasting media, dust, fumes, or gases. It is recommended to use the gloves in combination with appropriate respiratory protection equipment.

RESTRICTIONS ON USE

Blastsafe™ HERO are not suitable for use in areas with intense heat, radiation, open flame, explosive potential or whenever there is a risk of high concentration of hazardous substances, thereby creating an immediate risk to health.

Blastsafe™ HERO shall only be used by skilled operators which are fully aware of the hazards that may arise because of the work being carried out and shall not be worn if there is a risk of getting caught in moving machine parts.

BEFORE FIRST-TIME USE

Before use make sure the gloves are free of any defects or damages that may have occurred during transportation or storage. Check all seams, elastics, and patches.

FITTING INSTRUCTIONS

Make sure to use a glove size corresponding to the size of your hand. Hand and fingers shall be allowed to easily enter the glove.

To secure a dustproof sealing on the underarm pull the gloves outside the coverall and tighten the rubber band to lock with the "quik lock".

CLEANING

After use, remove any dust with the use of a soft brush. Gloves shall not be washed, dry cleaned or bleached.

MAINTENANCE AND INSPECTION

Gloves shall be visually inspected after each time used.

MAINTENANCE ROUTINES

Before use, a seam and tear inspection shall be carried out.

After use, brush the glove to remove any dust and inspect the seams. Check for any signs of wear and tear. When storing, loosen the elastic band using the "quick lock." Discard any gloves that show signs of damage. Dispose of them according to local regulations.

STORAGE

Blastsafe™ HERO shall be stored in a dry and tempered environment and not exposed to light.

MATERIALS

Kevlar®, Leather and Natural Rubber.

Blastsafe™ HERO

Is recommended to be complimented by our new range of **Blastsafe™** products.



Blastsafe™ ULTRA
Abrasive blasting



Blastsafe™ 15K
Wet blasting



Blastsafe™ BASE
Light abrasive blasting



Blastsafe™ GOBI
Dust, Paint and
Inspection



Blastsafe™ SKYWALKER
Abrasive blasting



Blastsafe™ IRONGRIP
Abrasive blasting



Blastsafe™ GOBI
Dust, Paint and
Inspection



Blastsafe™ BASE
Light abrasive blasting



SILENCER®
COMFORT | ERGONOMIC | SECURITY

Silencer AS, Brannstasjonsveien 12
4312 SANDNES, NORWAY, Org. No 915 259 367

EU Declaration of conformity | www.silencer.no/eudc

**Notified body responsible for the
EU Type Examination**

PZT GmbH
Bismarckstraße 264 B
26389 Wilhelmshaven
Germany
Notified Body Number: 1974

📅 2026/05 📅 2036/05
Made in Pakistan

 **SCANDINAVIAN** DESIGN AND DEVELOPMENT OWNERS